

FITNESS SOLUTIONS

[gerflor.com](https://www.gerflor.com)



Gerflor[®]
theflooringgroup

A GERFLOR FITNESS SOLUTION

Our **Gerflor Fitness Floor** range provides a practical solution for each of the space that make up your sports complex. Gerflor experts have developed a global floor coverings solution integrating **technology and design**.

Create your own ambiance, personalise your space with the right floor for your needs and your style!

1 GROUP EXERCISE AREAS
GYMNASTICS // AEROBICS // STRETCHING
P 4 - 5

2 CARDIO AREAS
CYCLING // FREE WEIGHT // RUNNING
P 6 - 7

3 RELAXATION AREAS
BAR // SPA
P 8 - 9

4 CHANGING AREAS // SHOWERS
P 10-11

5 SPORTS FACILITIES
TENNIS // BADMINTON // SQUASH
P 12-13

5 RACKET SPORTS

3 OFFICE

2 WEIGHT TRAINING AREA


1 GYMNASTICS / AEROBICS / STRETCHING

3 SPA



OVER
40 millions m²
of Taraflex® Sports Floors
have been laid throughout the world

FOR EVERY CLUB AREAS



200,000 m²
installed every day



"All about choosing
the right activity,
having fun,
staying confident."


GROUP EXERCISE AREAS

GYMNASTICS // AEROBICS // STRETCHING

Safety
Comfort
Shock absorption



For over 60 years Taraflex® sports floors have been renowned for their quality and performance.
100,000 people a day train on Taraflex® Floors worldwide.
Taraflex® Sports Floors have been designed with biomechanics specialists to **minimise stress on joints during physical activity and reduce risks of injury.**




TARAFLEX® Sport M Evolution

TARAFLEX® - Framboise


TARAFLEX® - Silver gray

TARAFLEX® - Oak design



View all our ranges at
gerflor.com or contact your
Gerflor sales representative





CARDIO AREAS

CYCLING // FREE WEIGHT // RUNNING

Heavy loads
Easy clean
Acoustic comfort




Floors in Weight Training and Cardio spaces have to withstand high stresses: heavy static loads, weights.

To handle these strains Gerflor offers a range of technical products that are **highly resistant** to indentation and also **easy cleaning**.

Noise reduction is also a key feature.

The right flooring solutions will provide excellent **acoustic comfort** and **user confidence**.




GTI

GTI - Dark Stone.....

GTI Uni - Puma.....

CREATION CLIC.....



View all our ranges at
gerflor.com or contact your
Gerflor sales representative






RELAXATION AREAS

BAR // SPA

Ambiance Design Personalisation



Use this **ultra stylish** range to create chic, warm ambiances and make your relaxation and spa areas into **spaces for well being and interaction**.
Create and **personalise your own decor scheme** selecting your colours from the multiple options on offer in our Gerflor ranges.




CREATION

TARALAY Forum - Darling.....


CREATION - Mineral.....

CREATION - Wood.....



View all our ranges at
gerflor.com or contact your
Gerflor sales representative





CHANGING AREAS

SHOWERS

Anti-slip
Hygienic
Wet areas



Use Gerflor's state-of-the-art solutions to fit out changing rooms and shower areas in **total safety**.

Impermeable and **easy clean**, Gerflor products will guarantee **ultra-hygienic** floors.




TARASAFE

TARASAFE Ultra - Jasper.....

TARASAFE Style - Almond.....

TARASAFE Geo - Sunset.....



View all our ranges at
gerflor.com or contact your
Gerflor sales representative






SPORTS FACILITIES

TENNIS // BADMINTON // SQUASH

Tennis Badminton Squash




Taraflex® Sports Floors **meet the specific needs** of racquet sports (tennis, badminton, squash) and are the ideal surfaces for your fitness complex, providing optimal **player comfort and enjoyment**.



TARAFLEX® BADMINTON

TARAFLEX® TENNIS - Purple.....

TARAFLEX® TABLE TENNIS - Framboise.....



View all our ranges at
gerflor.com or contact your
Gerflor sales representative





WHY CHOOSE GERFLOR FITNESS RANGE?


5 GOOD REASONS FOR CHOOSING GERFLOR FLOORS



EXTENSIVE CHOICE OF COLOURS & DESIGNS


With over **1 000 decor styles and designs** by mixing colours, woods and materials you can personalise your floor spaces and create your own visual identity!

1



SIMPLE TO LAY

Easy and time saving... with Gerflor, your flooring is laid in no time. And if you want a change of design, no problem: with loose-lay and snap-together flooring types, tile sections can be easily removed or replaced without having to close your sports complex.



Loose-lay



Glue-down



Removable

2



EASY CLEAN

Protecsol® treated surfaces require only simple manual cleaning, reducing maintenance costs by 80% compared with equivalent materials.

3



EXCELLENT ACOUSTIC PROPERTIES

With Gerflor floor coverings you are guaranteed impeccable **sound insulation**. Class A or B (or the lowest decibel level), our products absorb noise and vibrations for superior user comfort.

4

D-Max[™]

DURABILITY

HIGH PRODUCT DURABILITY

We use fiberglass reinforcing grids to make our products stronger and more stable. Our use of superior grade raw materials and innovative surface treatments ensures high wear resistance and excellent durability.

5



GERFLOR AN ECO-FRIENDLY PLAYER

ENVIRONMENT PROTECTION OUR PRIORITY

We already incorporate use of recycled materials into all our product ranges but Gerflor has also developed a new generation of loose-lay products thereby reducing use of adhesive and facilitating recovery and recycling of end-of-life products.

 Health & Safety	Safe raw materials	• NO heavy metals • NO plasticisers known to be toxic to reproduction • NO solvent-containing printing inks • NO substances known to be carcinogenic • NO substance potentially subject to REACH restrictions
	Emissions conforming to European standards	• TVOC < 100 µg/m³ after 28 days • No emission of carcinogenic compounds, including formaldehyde 
 ISO 14001	ISO 14001 Certification	Geflor's industrial sites hold ISO 14001 certification
 Recycling	Recycling of waste in our factories	• 100% of our production waste is recycled and re-used • Recycling of laying offcuts and removed flooring
 Life Cycle Analysis	Ecodesign	• Health & Environment Declaration on all our products • Surface treatments: ProtecSol®, Sparclean®, Evercare™



	STANDARD	REQUIREMENT	UNIT
DESCRIPTION			
Total thickness	EN 428	-	mm
Weight	EN 430	-	kg/m ²
Width	EN 426 - EN 427	-	ml
Length	EN 426 - EN 427	-	ml
CLASSIFICATION			
Floor classification	EN 685	-	Class
Fire behaviour	EN 13 501-1	-	Class
TVOC after 28 days	ISO 16000-6	< 1000	µg
TECHNICAL PERFORMANCES			
Abrasion class	EN 649	-	Group
Residual indentation after static loading	EN 433	-	mm
Treatment	-	-	-
Surface treatment	-	-	-
Anti-bacterial activity (E. coli - S. aureus - MRSA)**	ISO 22196	-	-
SPORTS PERFORMANCES			
Shock absorption	EN 14808	> 25	%
Vertical deformation	EN 14809	< 3,5	mm
Energy return	NF P 90 203	> 0,31	m/s
Slip resistance	EN 13036-4	80-110	-
Indentation	EN 1516	< 0,5	mm
Abrasion resistance	EN ISO 5470-1	< 1000	mg
CE MARKING			
CE	EN 14 904 : 2006	-	-

The specifications given are within the generally accepted tolerances in this sector and the products conform to the standards.

TECHNICAL DATA SHEET

TARAFLEX® SPORT M EVOLUTION	GTI TILE	CREATION*	CREATION CLIC SYSTEM	TARASAFE
--------------------------------	----------	-----------	-------------------------	----------

7	6	2,5	6	2
4,6	9,3	3,9 à 4,3	9,9	2,6
1,5	0,635	-	0,176	2
20,5	0,635	-	1	20

*

-	34-43	34-43	34-43	34-43
C _{fl} -s1	B _{fl} -s1	B _{fl} -s1	B _{fl} -s1	B _{fl} -s1
< 100	-	< 100	< 100	< 100

-	T	T	T	T
-	< 0,1	≤ 0,1	≤ 0,1	< 0,1
Sanosol®	-	-	-	Sanosol®
Protecsol®	PU	PUR+	PUR+	Sparclean®
> 99.9% inhibits growth	-	-	-	-

P1	-	-	-	-
< 2	-	-	-	-
> 0,31	-	-	-	-
80-110	-	-	-	-
< 0,5	-	-	-	-
< 350	-	-	-	-

Fire Shock absorption Slip resistance Abrasion resistance Rolling load resistance	EN 14 041 
---	---

* Please refer to CREATION guide.

** The implementation of an effective cleaning regime is the most important defence against infection.

Gerflor International

Tel: +33 (0)4 74 05 40 00

Fax: +33 (0)4 74 05 04 60

Email : gerflorcontact@gerflor.com

gerflor.com

ARCHITECTURE
DECORATION
SPORT
TECHNOSPECIFIC

Photos credits: Fotolia, Getty Images - Lovenly 9393e - 03/2014

Gerflor. *Be* CONNECTED!



www.gerflor.fr



Committed to sustainable development

Gerflor[®]
theflooringgroup