

Primetex



1892 - Aviator Zinc

- THICK, + RESISTANT



- non-tear
- no glue
- all uses floor



THE BEST VALUE FOR MONEY



primetex
WOOD

1



1-Hometown White (pureclean grain)

2m - Code: 1368 1695 - EAN: 3475710304750

4m - Code: 1548 1695 - EAN: 3475710304743

2



2-Tribeca White (pureclean grain)

2m - Code: 1368 1587 - EAN: 3475710264504

4m - Code: 1548 1587 - EAN: 3475710264474

3-Nordic Beige (pureclean grain)

2m - Code: 1368 1689 - EAN: 3475710306426

4m - Code: 1548 1689 - EAN: 3475710306484

4-Fisherman Washed (pureclean grain)

2m - Code: 1368 1728 - EAN: 3475710306334

3m - Code: 1648 1728 - EAN: 3475710317644

4m - Code: 1548 1728 - EAN: 3475710306143

5-Tribeca Light (pureclean grain)

2m - Code: 1368 1586 - EAN: 3475710264498

3m - Code: 1648 1586 - EAN: 3475710304767

4m - Code: 1548 1586 - EAN: 3475710264467

6-Fisherman Ocean (pureclean grain)

2m - Code: 1368 1667 - EAN: 3475710300431

4m - Code: 1548 1667 - EAN: 3475710300424

7-Fado Azul (pureclean grain)

2m - Code: 1368 1895 - EAN: 3475710339035

4m - Code: 1548 1895 - EAN: 3475710337291

3



4



5



6



7





1



2



3



4



5



6



7



1800 - Fabrik Grey

8



9

1-Seaport White (pureclean matt)
2m - Code: 1367 1613 - EAN: 3475710265884
4m - Code: 1547 1613 - EAN: 3475710265860

2-Playa White (pureclean matt)
2m - Code: 1367 1193 - EAN: 3475710217623
3m - Code: 1647 1193 - EAN: 3475710222610
4m - Code: 1547 1193 - EAN: 3475710216121

3-Nordic White (pureclean grain)
2m - Code: 1368 1681 - EAN: 3475710304736
3m - Code: 1648 1681 - EAN: 3475710324789
4m - Code: 1548 1681 - EAN: 3475710304712

4-Fabrik Light (pureclean grain)
2m - Code: 1368 1799 - EAN: 3475710318368
3m - Code: 1648 1799 - EAN: 3475710324765
4m - Code: 1548 1799 - EAN: 3475710318337

5-Newport White (pureclean grain)
2m - Code: 1368 1528 - EAN: 3475710249860
3m - Code: 1648 1528 - EAN: 3475710317651
4m - Code: 1548 1528 - EAN: 3475710249808

6-Bamboo Perle (pureclean matt)
2m - Code: 1367 1486 - EAN: 3475710244940
4m - Code: 1547 1486 - EAN: 3475710245695

7-Fabrik Grey (pureclean grain)
2m - Code: 1368 1800 - EAN: 3475710318375
4m - Code: 1548 1800 - EAN: 3475710318344

8-Newport Grey (pureclean grain)
2m - Code: 1368 1526 - EAN: 3475710249846
3m - Code: 1648 1526 - EAN: 3475710324109
4m - Code: 1548 1526 - EAN: 3475710249785

9-Factory Anthracite (pureclean grain)
2m - Code: 1368 1532 - EAN: 3475710248221
3m - Code: 1648 1532 - EAN: 3475710290176
4m - Code: 1548 1532 - EAN: 3475710248214

10-Tribeca Grey (pureclean grain)
2m - Code: 1368 1585 - EAN: 3475710264481
3m - Code: 1648 1585 - EAN: 3475710324796
4m - Code: 1548 1585 - EAN: 3475710264450

11-Fabrik Pecan (pureclean grain)
2m - Code: 1368 1798 - EAN: 3475710318351
4m - Code: 1548 1798 - EAN: 3475710318320

12-Panama Caqui (pureclean grain)
2m - Code: 1368 1917 - EAN: 3475710339028
4m - Code: 1548 1917 - EAN: 3475710339011

13-Panama Exotico (pureclean grain)
2m - Code: 1368 1886 - EAN: 3475710336034
4m - Code: 1548 1886 - EAN: 3475710336010

NEW
2015

12



NEW
2015

13





1



2



3



4



5



6





1797 - Havana Cafe

7



8



9



10



1-Havana Pepe (pureclean grain)

2m - Code: 1368 1796 - EAN: 3475710321863

4m - Code: 1548 1796 - EAN: 3475710318306

2-Factory Pecan (pureclean grain)

2m - Code: 1368 1533 - EAN: 3475710249891

3m - Code: 1648 1533 - EAN: 3475710324772

4m - Code: 1548 1533 - EAN: 3475710249839

3-Newport Pecan (pureclean grain)

2m - Code: 1368 1538 - EAN: 3475710249884

3m - Code: 1648 1538 - EAN: 3475710250767

4m - Code: 1548 1538 - EAN: 3475710249822

4-Cajou Grey (pureclean grain)

2m - Code: 1368 1151 - EAN: 3475710306433

4m - Code: 1548 1151 - EAN: 3475710306174

5-Tribeca Pecan (pureclean grain)

2m - Code: 1368 1871 - EAN: 3475710340376

4m - Code: 1548 1871 - EAN: 3475710332944

6-Newport Ebene (pureclean grain)

2m - Code: 1368 1529 - EAN: 3475710249877

3m - Code: 1648 1529 - EAN: 3475710250842

4m - Code: 1548 1529 - EAN: 3475710249815

7-Cajou Brown (pureclean grain)

2m - Code: 1368 1152 - EAN: 3475710250576

3m - Code: 1648 1152 - EAN: 3475710250651

4m - Code: 1548 1152 - EAN: 3475710250460

8-Cerasus Chocolate (pureclean grain)

2m - Code: 1368 1726 - EAN: 3475710317217

3m - Code: 1648 1726 - EAN: 3475710339776

4m - Code: 1548 1726 - EAN: 3475710306167

9-Chelsea Smoked (pureclean grain)

2m - Code: 1368 1294 - EAN: 3475710250613

4m - Code: 1548 1294 - EAN: 3475710250507

10-Havana Cafe (pureclean grain)

2m - Code: 1368 1797 - EAN: 3475710321870

4m - Code: 1548 1797 - EAN: 3475710318313

1



2



3



0471 - Bamboo Beige

1-Chelsea White (pureclean grain)

2m - Code: 1368 1296 - EAN: 3475710250620
4m - Code: 1548 1296 - EAN: 3475710250514

2-Turku Erable (diamalite)

2m - Code: 1304 0166 - EAN: 3475710181306
3m - Code: 1564 0166 - EAN: 3475710180880
4m - Code: 1474 0166 - EAN: 3475710180316

3-Manitoba Erable (diamalite)

2m - Code: 1304 0046 - EAN: 3475710127649
4m - Code: 1474 0046 - EAN: 3475710122309

4-Aurore Natural (diamalite)

2m - Code: 1304 0137 - EAN: 3475710127830
4m - Code: 1474 0137 - EAN: 3475710122507

5-Bamboo Beige (pureclean matt)

2m - Code: 1367 0471 - EAN: 3475710248450
3m - Code: 1647 0471 - EAN: 3475710248306
4m - Code: 1547 0471 - EAN: 3475710247149

6-Timber Clear (pureclean grain)

2m - Code: 1368 0720 - EAN: 3475710250637
3m - Code: 1648 0720 - EAN: 3475710250699
4m - Code: 1548 0720 - EAN: 3475710250521

7-Chene Tea (pureclean grain)

2m - Code: 1368 0667 - EAN: 3475710331541
4m - Code: 1548 0667 - EAN: 3475710331534

4





O166 - Turku Erable

5



6



7



1



2



3



4



5



6



1-Chelsea Clear (pureclean grain)

2m - Code: 1368 1291 - EAN: 3475710250590

3m - Code: 1648 1291 - EAN: 3475710250675

4m - Code: 1548 1291 - EAN: 3475710250484

2-Timber Medium (pureclean grain)

2m - Code: 1368 0721 - EAN: 3475710250644

3m - Code: 1648 0721 - EAN: 3475710250705

4m - Code: 1548 0721 - EAN: 3475710250538

3-Cajou Honey (pureclean grain)

2m - Code: 1368 1236 - EAN: 3475710250583

3m - Code: 1648 1236 - EAN: 3475710250668

4m - Code: 1548 1236 - EAN: 3475710250477

4-Teck Brown (pureclean matt)

2m - Code: 1367 0202 - EAN: 3475710322013

4m - Code: 1547 0202 - EAN: 3475710322020

5-Newport Honey (pureclean grain)

2m - Code: 1368 1556 - EAN: 3475710317224

4m - Code: 1548 1556 - EAN: 3475710253812

6-Newport Clear (pureclean grain)

2m - Code: 1368 1527 - EAN: 3475710249853

4m - Code: 1548 1527 - EAN: 3475710249792



primetex
MINERAL

1521 - Living Grey




1



2



3



4



5



6

1-Ceramic Anthracite (pureclean matt)

2m - Code: 1367 1540 - EAN: 3475710229510

3m - Code: 1647 1540 - EAN: 3475710317590

4m - Code: 1547 1540 - EAN: 3475710229480

2-Offset Black (pureclean grain)

2m - Code: 1368 0872 - EAN: 3475710325441

4m - Code: 1548 0872 - EAN: 3475710325540

3-Verone Grey (pureclean matt)

2m - Code: 1367 0836 - EAN: 3475710217753

4m - Code: 1547 0836 - EAN: 3475710217494

4-Ceramic Light Grey (pureclean matt)

2m - Code: 1367 1541 - EAN: 3475710229527

3m - Code: 1647 1541 - EAN: 3475710317606

4m - Code: 1547 1541 - EAN: 3475710229497

5-Living Grey (pureclean matt)

2m - Code: 1367 1521 - EAN: 3475710245473

4m - Code: 1547 1521 - EAN: 3475710245459

6-Verone Light Grey (pureclean matt)

2m - Code: 1367 1284 - EAN: 3475710216589

3m - Code: 1647 1284 - EAN: 3475710317613

4m - Code: 1547 1284 - EAN: 3475710215131



1



2



3





1546 - Victoria Beige



4



5

1-Offset Beige (pureclean grain)

2m - Code: 1368 0873 - EAN: 3475710325434

4m - Code: 1548 0873 - EAN: 3475710325533

2-Living Capuccino (pureclean matt)

2m - Code: 1367 1522 - EAN: 3475710245480

4m - Code: 1547 1522 - EAN: 3475710245466

3-Verone White (pureclean matt)

2m - Code: 1367 0859 - EAN: 3475710325373

4m - Code: 1547 0859 - EAN: 3475710325366

4-Victoria Light (pureclean matt)

2m - Code: 1367 1547 - EAN: 3475710325465

4m - Code: 1547 1547 - EAN: 3475710331893

5-Victoria Beige (pureclean matt)

2m - Code: 1367 1546 - EAN: 3475710325458

4m - Code: 1547 1546 - EAN: 3475710331886



primetex
ALL OVER

1892 - Aviator Zinc



1



2



3



4



5



6



7



8



9

1-Harlem Taupe (diamalite ALU)

2m - Code: 1234 1845 - EAN: 3475710340352

4m - Code: 1734 1845 - EAN: 3475710329722

2-Aviator Metal (pureclean grain)

2m - Code: 1368 1891 - EAN: 3475710337963

4m - Code: 1548 1891 - EAN: 3475710336416

3-Calvi Beton (pureclean grain)

2m - Code: 1368 1729 - EAN: 3475710335952

4m - Code: 1548 1729 - EAN: 3475710306198

4-Aviator Zinc (pureclean grain)

2m - Code: 1368 1892 - EAN: 3475710337970

4m - Code: 1548 1892 - EAN: 3475710336423

5-Dune Grey (pureclean matt)

2m - Code: 1367 1589 - EAN: 3475710264559

3m - Code: 1647 1589 - EAN: 3475710317637

4m - Code: 1547 1589 - EAN: 3475710264528

6-Gravel Beige (diamalite)

2m - Code: 1304 0711 - EAN: 3475710181313

3m - Code: 1564 0711 - EAN: 3475710180897

4m - Code: 1474 0711 - EAN: 3475710180323

7-Harlem White (diamalite ALU)

2m - Code: 1234 1870 - EAN: 3475710340369

4m - Code: 1734 1870 - EAN: 3475710332937

8-Dune White (pureclean matt)

2m - Code: 1367 1588 - EAN: 3475710264542

3m - Code: 1647 1588 - EAN: 3475710324802

4m - Code: 1547 1588 - EAN: 3475710264511

9-Cork Naturel (diamalite)

2m - Code: 1304 0027 - EAN: 3475710181290

3m - Code: 1564 0027 - EAN: 3475710180873


4m - Code: 1474 0027 - EAN: 3475710180309





1

1-Gravel Grey (diamalite)
2m - Code: 1304 0712 - EAN: 3475710181320
4m - Code: 1474 0712 - EAN: 3475710180330




2

2-Tweed Light Grey (pureclean matt)
2m - Code: 1367 1594 - EAN: 3475710265129
3m - Code: 1647 1594 - EAN: 3475710306419
4m - Code: 1547 1594 - EAN: 3475710265112


3-Tweed Silver Grey (diamalite ALU)
2m - Code: 1234 1608 - EAN: 3475710265785
4m - Code: 1734 1608 - EAN: 3475710265778

4-Tweed Silver Dark (diamalite ALU)
2m - Code: 1234 1592 - EAN: 3475710267048
4m - Code: 1734 1592 - EAN: 3475710267031

5-Calvi Prune (pureclean grain)
2m - Code: 1368 1410 - EAN: 3475710251160
3m - Code: 1648 1410 - EAN: 3475710302060
4m - Code: 1548 1410 - EAN: 3475710251139



3



4



5

1410 - Calvi Prune

TECHNICAL CHARACTERISTICS

			Diamalite	Pureclean
Total thickness	EN 428	mm	2.0	
Thickness of the wear layer	EN 429	mm	0.20	0.25
Weight: Mass per unit area	EN 430	g/sqm	1370	1390
Width of rolls	EN 426	m	2 / 3 / 4	
Length of rolls	EN 426	ml	± 30	
Surface treatment	-	-	Diamalite	Pureclean
Norm / Product specification	-	-	EN 653	
European classification	EN 685	class	22	23/31
Fire rating - Classification	EN 13501-1	class	C _f -s1	
Wear Group	EN 653	group	T	
VOC rate (French norm)	-	-	A+	
US norm Floorscore	-	-	OK	
German norm Agbb	-	-	OK	
TVOC rate 28 days	-	µg/m³	< 100	
Impact sound insulation	EN ISO 717/2	dB	15	
Room impact noise	NF S 31074	class	A	
Slip resistance wet: ramp test with oil	DIN 51 130	class	R9	R10
Dimensional stability	EN 434	%	0.05	
Residual indentation	EN 433	mm	0.25	
Thermal conductivity	EN 12 524	W/(m.k)	0.25	
Colour fastness	EN 20 105-B02	degree	≥ 6	
Wet rooms	-	-	OK	
Floor heating	-	-	OK - T < 28°C	
Static electrical propensity		kV	≤ 2	
Guarantee	-	year	8	12

CE MARKING



EN 14041



Areas of use: domestic use





⊖ THICK
⊕ RESISTANT!
**BEST VALUE
FOR MONEY**

PRIMETEX,
NON-TEAR!

Thin & tough!

PRIMETEX,
NO GLUE !

Economical, quick and easy to lay


Saves extra costs

PRIMETEX,
ALL USES FLOOR

Watertight: ideal for wet rooms

• bathroom, kitchen

Easy to clean & hygienic



LAYING

The subfloor must be smooth, clean, dry, undamaged and flat.

Recommendations: unroll the floorcovering 24 hours before laying.

Floor covering should not be laid in rooms at a temperature is below 15°C.

Can be installed on underfloor heating (up to 28°C).

Weld the joints (cold-treatment product) to ensure good water-tightness.

Recommended laying methods:

- Loose laying without glue: up to 25 sq. m
- Laying without glue, with double-sided tape or hook & loop strips around the edges of the room: over 25 sq. m

If permanent laying with glue: use a single stick acrylic glue (approximately 250g/sq. m).

Use a finely-notched trowel.

CLEANING & CARE

Regular cleaning with a vacuum cleaner, dust mop or a wet cloth.

Cleaning: with water and a neutral detergent; rinse with clean water.

Stain removal: White Spirit removes almost all stains.

Do not use solvents.

Precautions: do not use floor wax.

Avoid rubber leg caps and casters. Replace with plastic caps and polyamide casters. Protect the bases and legs of your waxed furniture with a felt disc.



HEALTH

- Formaldehyde-free
- Lead-free, no heavy metals
- Solvent-free
- No harmful plasticizer
- Low VOC emission
- No glue
- GFT backing: >95% recycled fibres

ENVIRONMENT

- 100% recyclable
- ISO 14001
- Soapy water cleaning

Laying video

